

Specifications for Mess items: -

S.NO	PARTICULAR	QUANTITY	BRAND	TYPE	FEATURES	USAGE	REMARKS
1	DEEP FREEZER	1	CELFROST	Single lid hard top chest freezer	Includes a sturdy handle, lock and interior light	Ideal for storing frozen food, meat etc	330 ltr
2	BAIN MARIE	2	CONTINENTAL	Durable polished stainless steel	Often includes pans (06), a sneeze guard for hygiene and temperature control knobs.	Food warming and holding at safe temperature	STANDARD
3	POTATO PEELER	1	CONTINENTAL	Durable polished stainless steel	Includes a feeding hopper, grinding chamber with serrated blades and a mesh screen for adjusting the finess of the grind	Primarily designed for wet grinding ingredients like chilies, ginger garlic etc.	STANDARD
4	WATER COOLER	1	CONTINENTAL	Durable polished stainless steel	Includes multiple taps for cold or normal water, built in drain tray and optional RO/UV filtration systems.	For water storage and drinking purpose	STANDARD
5	ELECTRIC CHEFING DISH	10	STANDARD	Durable polished stainless steel	Often include food pans, water pans and lids with some models featuring electric heating	Ideal for catering events and restaurant to keep food warm	STANDARD

Specifications of Printing of Annual Magazines: -

Printing of 1400 Copies **Annual Magazine** containing 160 pages on 11"x11" 130 GSM imported art matt paper Texture (Drip off UV coating all pages), multicolor, Hard Bound with UV SPOT, Title page on 210 GSM imported art paper.

Printing of 800 Copies **Creative Athena Skills Book** containing 80 pages on 8.20"x11.7" 130 GSM imported art paper, multicolor, Title paper on 300 GSM imported art paper, soft bound.

Specifications for Movable Ladder Big size: -

Item Description

Mobile Telescopic Truss Tower / Movable Structural Frame Assembly designed for lifting, supporting, installation, or maintenance work at height. The unit consists of a fabricated steel base trolley with mounted aluminum lattice truss structure.

Structural Construction

- **Type:** Mobile truss tower mounted on wheeled base
- **Framework:** Combination of **MS (Mild Steel)** base structure and **Aluminum lattice truss**
- **Design:** Triangular / box-type lattice truss with cross bracing for rigidity
- **Fabrication:** Welded and bolted modular construction
- **Surface Finish:**
 - Base frame – Anti-corrosion primer with industrial enamel paint (Blue)
 - Truss – Natural aluminum / anodized finish

Base Frame & Mobility

- Heavy-duty fabricated MS rectangular frame
- Mounted on **four solid rubber/PU wheels**
- Manual push-type mobility
- Reinforced support legs for load stability
- Provision for locking / stabilizing during operation

Approximate Dimensions (*Indicative*)

Overall Height	40 ft
Base Length	16 – 18 ft
Base Width (Breadth)	13 – 15 ft
Wheel Track Width	Minimum 12 ft

Load Capacity

- Estimated distributed load capacity: **200–400 kg** (subject to structural certification)

Requirements for Hotel Reservations at Kasauli:-

3 / 4 Star Hotels With Double occupancy

40-45 rooms required for 2 days 1 night

With Breakfast, (2) Lunch & Dinner with High tea Included

Supply & Installation of Cricket Sight Screen

Structure & Frame

- Frame constructed using Heavy Duty Mild Steel (MS) Pipes / Sections
- Minimum 50 mm × 50 mm MS square pipe or equivalent heavy section
- Proper welded construction with reinforced bracing for stability
- Wind-resistant structural design
- All joints smoothly finished

Size of Sight Screen

- Height: Minimum 20 feet
- Width: Minimum 30 feet
- Size suitable for cricket match visibility standards