

YADAVINDRA PUBLIC SCHOOL, PATIALA

M/s Raashi Advertising,  
Old Bishan Nagar,  
Patiala.

Dear Sir,

Please publish the following advertisement in Jagbani (Patiala Bani) on dated 8<sup>th</sup> June, 2026.

  
Bursar

Headmaster

**TENDER NOTICE**

**YADAVINDRA PUBLIC SCHOOL,**  
**PATIALA**

Invites quotations by 16 June, 2025 for work of Cleaning of entire roof surface and removal of old damaged waterproofing material, Repair of cracks, joints, honeycombs and damaged areas using polymer-modified repair mortar. Treatment of pipe penetrations, parapet-wall junctions and expansion joints. Application of Dr. Fixit waterproofing primer. Application of waterproofing coating system (minimum two coats) using genuine Dr. Fixit products. Completion of work as per standard waterproofing practices and specifications. Download details/ specification from school website [www.ypspatiala.in](http://www.ypspatiala.in). Drop sealed quotation at school Office

## PROPOSAL FOR WATER PROOFING TREATMENT OF MIDDLE WING ROOFTOP


**Subject: Waterproofing Treatment of Middle Wing Rooftop using Dr. Fixit System**

It is proposed to carry out waterproofing treatment of the Middle Wing rooftop to prevent water seepage and protect the roof slab from moisture-related deterioration. The existing roof surface shall be thoroughly cleaned and prepared before application of the waterproofing system.

### Scope of Work / Specifications:

1. Cleaning of the entire roof surface by removing dust, loose particles, vegetation, old damaged waterproofing material, and other foreign matter.
2. Repair of cracks, joints, honeycombs, and damaged areas using suitable polymer-modified repair mortar.
3. Treatment of all pipe penetrations, parapet-wall junctions, and expansion joints to ensure complete waterproofing.
4. Application of one coat of Dr. Fixit waterproofing primer on the prepared surface.
5. Application of Dr. Fixit waterproofing coating in the required two number of coats to achieve effective waterproofing and long-term protection.
6. All materials shall be used genuine Dr. Fixit products and the work shall be carried out as per standard waterproofing practices.
7. The same needs to be tendered since the previous contractor inability to do the work at approved rates.

The proposed work is essential to ensure a durable, watertight, and weather resistant rooftop surface and to prevent future seepage and leakage issues in the building

  
G.S. Cheema

  
Gagandeep Singh

  
Bursar  
06/6/26

Headmaster